



MOTOR CYCLE OIL 4T 10W-40

Product Description:

MOTOR CYCLE OIL 4T 10W-40 is a synthetic technology based 4-stroke gasoline engine oil developed specifically to meet the special requirements of latest high performance air and liquid cooled 4-stroke motorcycles. It provides excellent protection to engine, gearbox and wet clutch used in 4-stroke motorcycles and ensures highest degree of reliability even under severe operating conditions and temperatures.

MOTOR CYCLE OIL 4T 10W-40 is based on a high quality synthetic technology base oils in combination with a special selected additive package to obtain the following properties:

- Excellent anti-wear, anti-rust and anti-corrosion properties.
- Good thermo-and oxidative stability.
- Controlled frictional properties eliminate clutch slippage and improves drivability.
- Excellent dispersant and detergent properties.

MOTOR CYCLE OIL 4T 10W-40 meets the following performance criteria:

API SL JASO MA-2



Property	Unit	Test Method	Typical Value
SAE Grade		SAE J300	10W-40
Density@15°C	kg/m ³	ASTM D4052	859
Kin. Viscosity @40°C	mm ² /s	ASTM D7042	8817
Kin. Viscosity @100°C	mm ² /s	ASTM D7042	13.8
Viscosity Index		ASTM D2270	159
Viscosity CCS @-25°C, max	cP	ASTM D5293	5260
Flash Point COC	°C	ASTM D92	>201
Pour Point	°C	ASTM D7346	-33
Total Base Number	mgKOH/g	ASTM D2896	8.5
Sulphated Ash	%Wt	ASTM D874	1.15

Product Nr: 42990

Date Superseded: 08-02-2018

Date Issued: 13-12-2019

Revision nr: 05